


## İKLİMLENDİRME AKSESUARLARI

### ÇATILAR VE FAN MODÜLLERİ



**Malzeme :**

Fan modülleri: 1,50 mm DKP sac

**Yüzey İşlem :** Demir-fosfat kaplama  
ve RAL 7035 pütürlü epoksi  
polyester toz boya

**Ürün İçeriği :** Fan modülü ve bağlantı  
parçaları. Fan dahil değildir.

Genişlik (G)	Derinlik (D)	Fan Kapasitesi (Adet)	Ref.No
600	400	3	<b>982.064</b>
	500	3	<b>982.065</b>
	600	3	<b>982.066</b>
	800	3	<b>982.068</b>
800	400	3	<b>982.084</b>
	500	3	<b>982.085</b>
	600	3	<b>982.086</b>
	800	3	<b>982.088</b>
1000	400	4	<b>982.104</b>
	500	4	<b>982.105</b>
	600	4	<b>982.106</b>
	800	4	<b>982.108</b>
1200	400	4	<b>982.124</b>
	500	4	<b>982.125</b>
	600	4	<b>982.126</b>
	800	4	<b>982.128</b>

# İKLİMLENDİRME AKSESUARLARI

## Havalandırma Filtreleri

RAL 7035 FİLTRELER	Ref.No
150X150 mm	<b>983.106</b>
250X250 mm	<b>983.107</b>

RAL 7032 FİLTRELER	Ref.No
105X105 mm	<b>983.104</b>
150X150 mm	<b>983.100</b>
250X250 mm	<b>983.102</b>
325X325 mm	<b>983.103</b>

## Fanlı filtreler (AC) Ral 7035

HAVA DEBİSİ	RAL 7032 FİLTRELER	Ref.No
60 m <sup>3</sup> / h	150X150 mm (19W)	<b>983.131</b>
160 m <sup>3</sup> / h	250X250 mm (45W)	<b>983.141</b>
450 m <sup>3</sup> / h	250X250 mm (64W)	<b>983.151</b>

## Fanlı filtreler (AC) Ral 7032

HAVA DEBİSİ	RAL 7032 FİLTRELER	Ref.No
25 m <sup>3</sup> / h	105X105 mm (12W)	<b>983.120</b>
60 m <sup>3</sup> / h	150X150 mm (19W)	<b>983.130</b>
160 m <sup>3</sup> / h	250X250 mm (45W)	<b>983.140</b>
450 m <sup>3</sup> / h	250X250 mm (64W)	<b>983.150</b>
1020 m <sup>3</sup> / h	325X325 mm (135W)	<b>983.160</b>

## Fanlı filtreler (24V DC) Ral 7035

HAVA DEBİSİ	RAL 7032 FİLTRELER	Ref.No
65 m <sup>3</sup> / h	150X150 mm (5W)	<b>983.231</b>
160 m <sup>3</sup> / h	250X250 mm (14W)	<b>983.241</b>

## Fanlı filtreler (24V DC) Ral 7032

HAVA DEBİSİ	RAL 7032	Ref.No
35 m <sup>3</sup> / h	5X105 mm (2W)	<b>983.220</b>
65 m <sup>3</sup> / h	0X150 mm (5W)	<b>983.230</b>
160 m <sup>3</sup> / h	250X250 mm (14W)	<b>983.240</b>



# İKLİMLENDİRME AKSESUARLARI

## Fanlar (AC)



HAVA DEBİSİ	FAN GÜCÜ	Ref.No
50 m <sup>3</sup> / h	(12W)	<b>983.200</b>
160 m <sup>3</sup> / h	(19W)	<b>983.300</b>
325 m <sup>3</sup> / h	(45W)	<b>983.400</b>
925 m <sup>3</sup> / h	(64W)	<b>983.500</b>
1860 m <sup>3</sup> / h	(135W)	<b>983.600</b>

## Fanlar (24V DC)

HAVA DEBİSİ	FAN GÜCÜ	Ref.No
69 m <sup>3</sup> / h	(2W)	<b>983.201</b>
170 m <sup>3</sup> / h	(5W)	<b>983.301</b>
345 m <sup>3</sup> / h	(14W)	<b>983.401</b>

## TERMOSTATLAR



	Ref.No
Fan Termostatı -10° 220 V AC NC	<b>983.011</b>
Isıtıcı Termostatı +80° 220 V AC NO	<b>983.012</b>
Elektronik Higrostat CO	<b>983.013</b>
Mekanik Higrostat CO	<b>983.014</b>

## ISITICILAR

	Ref.No
45 W 250 V AC / DC	<b>984.100</b>
60 W 250 V AC / DC	<b>984.200</b>
80 W 250 V AC / DC	<b>984.300</b>
100 W 250 V AC / DC	<b>984.400</b>
150 W 250 V AC / DC	<b>984.500</b>