



FLOORSTANDING CABINET




FRAME STRUCTURE



- 2 welded front-rear frames which made by 1,50 mm material
- Semi-closed vertical and Width profiles
- Closed depth profiles

EARTHING CONTINUITY



- Earthing continuity thanks to welded vertical and horizontal profiles
- Earthing continuity thanks to special design of fastener between front-rear frames and depth profiles.


FRONT DOOR and LOCKING SYSTEM




- 4 points locking and hinging system on the outside of the frame
- Push button working system of swing handle
- Modifiable insert system from cylinder inserts to other universal inserts like doublebit, square etc.
- Perforated door stiffeners in largest positioning.

HIGHLIGHTS

IP PROTECTION and NEMA CATEGORIES




- IP 54 Protection related to EN 60 529 and NEMA 1 provided for Double Door.
- Using gasket for all door, rear door, side panel top cover etc. Due to this gasket, without any operation, full isolation is provided between -40°C & $+100^{\circ}\text{C}$



- IP 55 Protection related to EN 60 529 and NEMA 12 provided for Single Door.
- Using gasket for all door, rear door, side panel top cover etc. Due to this gasket, without any operation, full isolation is provided between -40°C & $+100^{\circ}\text{C}$

ASSEMBLING AND LOGISTICAL ADVANTAGES

ASSEMBLING STEP 1




ASSEMBLING STEP 2



ASSEMBLING STEP 3



ASSEMBLING STEP 4



- Offered as flat package, the NEO Modular system is designed for an easy mounting in minimal amount of time. It does not require angulation for body and can be mounted 15-20 min. by two person.
- Offered as flat package, the NEO Modular system saves space during transportation and storage.

You can access
the NEO Modular assembly video
by scanning the QR code.





ASSEMBLING AND LOGISTICAL ADVANTAGES

MOUNTING PLATE SYSTEM




- Neo Modular and Neo Monoblock frame system are same as Teos frame related with the internal dimensions. Therefore Mounting plate system of Teos which includes 3mm thickness and 2mm thickness can adapt to Neo Modular and Neo monoblock design.

PLINTH SYSTEM




- Neo Modular and Neo monoblock frame system are same as Teos frame related with the bottom dimensions. Therefore plinth system of TEOS which includes H100mm and H200mm version can adapt to Neo Modular and Neo monoblock design.

SIZES and MODELS (DISASSEMBLED)




STEP 1 – MAIN BODY GROUP



Material :
Welded frames : 1,50 mm Galvanized steel + RAL 7035 powder coated
Front door.: 1,50 mm mild steel+ RAL 7035 powder coated
Rear Panel : 1,20 mm mild steel + RAL powder coated


Supply Includes :
2 pcs welded frame, 1 pcs front door, 1 pcs rear panel, lock-parts, hinges and required assembling parts.

NOTE : There are 2 version in selection. Version 1 is solid design.
Version 2 is glazed door
NOTE : 1000 mm and 1200 mm width enclosures are double doors.




PRODUCT CODE		ENCLOSURE DIMENSION	
VERSION 1 SOLID DOOR	VERSION 2 GLAZED DOOR	HEIGHT (mm)	Width (mm)
616.121		1200	600
618.121		1200	800
616.161		1600	600
618.161		1600	800
616.181	616.182	1800	600
618.181	618.182	1800	800
610.181		1800	1000
612.181		1800	1200
614.201		2000	400
616.201	616.202	2000	600
617.201	617.202	2000	700
618.201	618.202	2000	800
610.201		2000	1000
612.201		2000	1200

SIZES and MODELS (DISASSEMBLED)



STEP 2 – FRAME DEPTH PARTS




Materials :

Depth parts : 1,50 mm Galvanized + RAL 7035 powder coated


Supply Includes :

4 pcs frame depth parts and required assembling parts

PRODUCT CODE	ENCLOSURE DEPTH (mm)
620.400	400
620.500	500
620.600	600
620.800	800



STEP 3 – TOP COVER




Materials :
1,20 mm mild steel+ RAL 7035 powder coating

Supply Includes :
1 pcs top cover and required assembling parts

PRODUCT CODE	ENCLOSURE DIMENSION	
	Width (mm)	Depth (mm)
624.500	400	500
624.600	400	600
624.800	400	800
626.400	600	400
626.500	600	500
626.600	600	600
626.800	600	800
627.400	700	400
627.500	700	500
627.600	700	600
627.800	700	800

PRODUCT CODE	ENCLOSURE DIMENSION	
	Width (mm)	Depth (mm)
628.400	800	400
628.500		500
628.600		600
628.800		800
621.400	1000	400
621.500		500
621.600		600
621.800		800
622.400	1200	400
622.500		500
622.600		600
622.800		800

SIZES and MODELS (DISASSEMBLED)



STEP 4 – PLINTH PARTS

The design of Neo frame is same as Teos frame bottom sizes. Thanks to this advantage, plinth parts of Teos are available to assemble to NEO system.

PLINTH CORNER PART



Material :

Corner part : 2,00 mm galvanized steel + RAL 7012 powder coating
Plastic panel : RAL 7012 ABS Plastic

Suply Includes : 4 pcs 100 mm or 200 mm high plinth corner part, 4 pcs plastic panel and mounting parts.

PLINTH FRONT COVER




Material :

100 mm plinth front cover : 1,50 mm galvanized steel + RAL 7012 powder coating

Suply Includes 2 pcs 100 mm high plinth corner part, mounting parts.

REQUIRED : 2 set of side plinth cover group for 200 mm height plints

PLINTH SIDE COVER



Material :

100 mm plinth side cover : 1,50 mm galvanized steel + RAL 7012 powder coating


Suply Includes 2 pcs 100 mm high plinth side part, mounting parts.

REQUIRED : 2 set of side plinth cover group for 200 mm height plints


PRODUCT CODE	TEOS PLINTH HEIGHT (mm)
708.100	100
708.200	200

PRODUCT CODE	ENCLOSURE WIDTH (mm)
709.140	400
709.160	600
709.170	700
709.180	800
709.100	1000
709.120	1200

PRODUCT CODE	ENCLOSURE DEPTH (mm)
710.140	400
710.150	500
710.160	600
710.180	800



STEP 5 – GLAND PLATE SYSTEM



Material :
Plate holder: 1,50 mm galvanized steel + RAL 7035 powder coating
Gland Plates : 1,50 mm galvanized steel


Supply Includes :
2 pcs width plate holders, 2 pcs depth plate holders, 3 or 4 pcs gland plates related with depth size

NOTE : The design of Neo frame is same as Teos frame bottom sizes.
Thanks to this advantage, plinth parts of Teos are available to

PRODUCT CODE	ENCLOSURE DIMENSIONS	
	WIDTH (mm)	DEPTH (mm)
634.500	400	500
634.600	400	600
634.800	400	800
636.400	600	400
636.500	600	500
636.600	600	600
636.800	600	800
637.400	700	400
637.500	700	500
637.600	700	600
637.800	700	800

PRODUCT CODE	ENCLOSURE DIMENSIONS	
	Width (mm)	Depth (mm)
638.400	800	400
638.500	800	500
638.600	800	600
638.800	800	800
631.400	1000	400
631.500	1000	500
631.600	1000	600
631.800	1000	800
632.400	1200	400
632.500	1200	500
632.600	1200	600
632.800	1200	800

SIZES and MODELS (DISASSEMBLED)



STEP 6 – MOUNTING PLATE (3 mm thickness)




Material:
3,00 mm galvanized steel

Supply Includes :
1 pcs mounting plate and assembling parts

Width (mm)	Height (mm)			
	1200	1600	1800	2000
400	-	-	707.418	707.420
600	707.612	707.616	707.618	707.620
700	-	-	-	707.720
800	707.812	707.816	707.818	707.820
1000	-	-	707.018	707.020
1200	-	-	707.218	707.220

STEP 6 – MOUNTING PLATES (2 mm thickness)




Material:
2,00 mm galvanized steel


Supply Includes :
1 pcs mounting plate and assembling parts

Width (mm)	Height (mm)			
	1200	1600	1800	2000
400	-	-	717.418	717.420
600	717.612	717.616	717.618	717.620
700	-	-	-	717.720
800	717.812	717.816	717.818	717.820

SIZES and MODELS (DISASSEMBLED)



STEP 7 – SIDE PANEL (2 pcs)




Material:
1,20 mm mild steel + RAL 7035 powder coating


Supply Includes : 2 pcs side panel and assembling parts

PRODUCT CODE	ENCLOSURE DIMENSION	
	Width (mm)	Depth (mm)
632.125	1200	500
632.165	1600	500
632.184	1800	400
632.185	1800	500
632.186	1800	600
632.204	2000	400
632.205	2000	500
632.206	2000	600
632.208	2000	800

SIZES and MODELS (DISASSEMBLED)




STEP 8 - BAYING KIT




Supply Includes :

2 pcs combination angles, 8 set M6 fasteners, 2 pcs adjustable bracet, 5.6m insulation gasket and assembling parts

Product Code : 611.000



STEP 8 - EYEBOLTS (4 pcs)



Supply Includes :

4 pcs M12 eyebolts Product Code : 612.000

Note : It is required for each cubic and combination panels. This accessory is not included in standart package.

SIZES and MODELS (DISASSEMBLED)

		Height 1200 mm	
ENCLOSURE DEPTH 500 mm (D)		ENCLOSURE WIDTH mm (W)	
Step	Product Description	Single Door 600	Single Door 800
1	BODY GROUP	616.121	618.121
2	DEPTH PARTS	620.500	620.500
3	TOP COVER	626.500	628.500
4(1)	PLINTH CORNER H100(H2)	708.100	708.100
4(1)	PLINTH CORNER H200(H2)	708.200	708.200
4(2)	PLINTH FRONT COVER H100(H2)	709.160	709.180
4(3)	PLINTH SIDE COVER H100(H2)	710.150	710.150
5	GLAND PLATE SYSTEM	636.500	638.500
6	MOUNTING PLATE 2,00mm	717.612	717.812
6	MOUNTING PLATE 3,00mm	707.612	707.812
7	SIDE PANEL	632.125	632.125
8(1)	NEO BAYING KIT	611.000	611.000
8(2)	EYEBOLT(4 pcs.)	612.000	612.000

		Height 1600 mm	
ENCLOSURE DEPTH 500 mm (D)		ENCLOSURE WIDTH mm	
Step	Product Description	Single Door 600	Single Door 800
1	BODY GROUP	616.161	618.161
2	DEPTH PARTS	620.500	620.500
3	TOP COVER	626.500	628.500
4(1)	PLINTH CORNER H100(H2)	708.100	708.100
4(1)	PLINTH CORNER H200(H2)	708.200	708.200
4(2)	PLINTH FRONT COVER H100(H2)	709.160	709.180
4(3)	PLINTH SIDE COVER H100(H2)	710.150	710.150
5	GLAND PLATE SYSTEM	636.500	638.500
6	MOUNTING PLATE 2,00mm	717.616	717.816
6	MOUNTING PLATE 3,00mm	707.616	707.816
7	SIDE PANEL	632.165	632.165
8(1)	NEO BAYING KIT	611.000	611.000
8(2)	EYEBOLT(4 pcs.)	612.000	612.000

		Height 1800 mm			
ENCLOSURE DEPTH 400 mm		ENCLOSURE WIDTH mm			
Step	Product Description	Single Door 600	Single Door 800	Double Door 1000	Double Door 1200
1	BODY GROUP	616.181	618.181	610.181	612.181
2	DEPTH PARTS	620.400	620.400	620.400	620.400
3	TOP COVER	626.400	628.400	621.400	622.400
4(1)	PLINTH CORNER H100(H2)	708.100	708.100	708.100	708.100
4(1)	PLINTH CORNER H200(H2)	708.200	708.200	708.200	708.200
4(2)	PLINTH FRONT COVER H100(H2)	709.160	709.180	709.100	709.120
4(3)	PLINTH SIDE COVER H100(H2)	710.140	710.140	710.140	710.140
5	GLAND PLATE SYSTEM	636.400	638.400	631.400	632.400
6	MOUNTING PLATE 2,00mm	717.618	717.818	*	*
6	MOUNTING PLATE 3,00mm	707.618	707.818	707.018	707.218
7	SIDE PANEL	632.184	632.184	632.184	632.184
8(1)	NEO BAYING KIT	611.000	611.000	611.000	611.000
8(2)	EYEBOLT(4 pcs.)	612.000	612.000	612.000	612.000

SIZES and MODELS (DISASSEMBLED)

ENCLOSURE DEPTH 500 mm (D)		Height 1800 mm			
		ENCLOSURE WIDTH mm (W)			
Step	Product Description	Single Door 600	Single Door 800	Double Door 1000	Double Door 1200
1	BODY GROUP	616.181	618.181	610.181	612.181
2	DEPTH PARTS	620.500	620.500	620.500	620.500
3	TOP COVER	626.500	628.500	621.500	622.500
4(1)	PLINTH CORNER H100(H2)	708.100	708.100	708.100	708.100
4(1)	PLINTH CORNER H200(H2)	708.200	708.200	708.200	708.200
4(2)	PLINTH FRONT COVER H100(H2)	709.160	709.180	709.100	709.120
4(3)	PLINTH SIDE COVER H100(H2)	710.150	710.150	710.150	710.150
5	GLAND PLATE SYSTEM	636.500	638.500	631.500	632.500
6	MOUNTING PLATE 2,00mm	717.618	717.818	*	*
6	MOUNTING PLATE 3,00mm	707.618	707.818	707.018	707.218
7	SIDE PANEL	632.185	632.185	632.185	632.185
8(1)	NEO BAYING KIT	611.000	611.000	611.000	611.000
8(2)	EYEBOLT(4 pcs.)	612000	612000	612000	612000

ENCLOSURE DEPTH 600 mm (D)		Height 1800 mm			
		ENCLOSURE WIDTH mm			
Step	Product Description	Single Door 600	Single Door 800	Double Door 1000	Double Door 1200
1	BODY GROUP	616.181	618.181	610.181	612.181
2	DEPTH PARTS	620.600	620.600	620.600	620.600
3	TOP COVER	626.600	628.600	621.600	622.600
4(1)	PLINTH CORNER H100(H2)	708.100	708.100	708.100	708.100
4(1)	PLINTH CORNER H200(H2)	708.200	708.200	708.200	708.200
4(2)	PLINTH FRONT COVER H100(H2)	709.160	709.180	709.100	709.120
4(3)	PLINTH SIDE COVER H100(H2)	710.160	710.160	710.160	710.160
5	GLAND PLATE SYSTEM	636.600	638.600	631.600	632.600
6	MOUNTING PLATE 2,00mm	717.618	717.818	*	*
6	MOUNTING PLATE 3,00mm	707.618	707.818	707.018	707.218
7	SIDE PANEL	632.186	632.186	632.186	632.186
8(1)	NEO BAYING KIT	611.000	611.000	611.000	611.000
8(2)	EYEBOLT(4 pcs.)	612.000	612.000	612.000	612.000

ENCLOSURE DEPTH 400 mm (D)		Height 2000 mm					
		ENCLOSURE WIDTH mm					
Step	Product Description	Single Door 400	Single Door 600	Single Door 700	Single Door 800	Double Door 1000	Double Door 1200
1	BODY GROUP	*	616.201	617.201	618.201	610.201	612.201
2	DEPTH PARTS	*	620.400	620.400	620.400	620.400	620.400
3	TOP COVER	*	626.400	627.400	628.400	621.400	622.400
4(1)	PLINTH CORNER H100(H2)	*	708.100	708.100	708.100	708.100	708.100
4(1)	PLINTH CORNER H200(H2)	*	708.200	708.200	708.200	708.200	708.200
4(2)	PLINTH FRONT COVER H100(H2)	*	709.160	709.170	709.180	709.100	709.120
4(3)	PLINTH SIDE COVER H100(H2)	*	710.140	710.140	710.140	710.140	710.140
5	GLAND PLATE SYSTEM	*	636.400	637.400	638.400	631.400	632.400
6	MOUNTING PLATE 2,00mm	*	717.620	717.720	717.820	*	*
6	MOUNTING PLATE 3,00mm	*	707.620	707.720	707.820	707.020	707.220
7	SIDE PANEL	*	632.204	632.204	632.204	632.204	632.204
8(1)	NEO BAYING KIT	*	611.000	611.000	611.000	611.000	611.000
8(2)	EYEBOLT(4 pcs.)	*	612.000	612.000	612.000	612.000	612.000

SIZES and MODELS (DISASSEMBLED)

ENCLOSURE DEPTH 500 mm		Height 2000 mm					
		ENCLOSURE WIDTH mm					
Step	Product Description	Single Door 400	Single Door 600	Single Door 700	Single Door 800	Double Door 1000	Double Door 1200
1	BODY GROUP	614.201	616.201	617.201	618.201	610.201	612.201
2	DEPTH PARTS	620.500	620.500	620.500	620.500	620.500	620.500
3	TOP COVER	624.500	626.500	627.500	628.500	621.500	622.500
4(1)	PLINTH CORNER H100(H2)	708.100	708.100	708.100	708.100	708.100	708.100
4(1)	PLINTH CORNER H200(H2)	708.200	708.200	708.200	708.200	708.200	708.200
4(2)	PLINTH FRONT COVER H100(H2)	709.140	709.160	709.170	709.180	709.100	709.120
4(3)	PLINTH SIDE COVER H100(H2)	710.150	710.150	710.150	710.150	710.150	710.150
5	GLAND PLATE SYSTEM	634.500	636.500	637.500	638.500	631.500	632.500
6	MOUNTING PLATE 2,00mm	*	717.620	717.720	717.820	*	*
6	MOUNTING PLATE 3,00mm	*	707.620	707.720	707.820	707.020	707.220
7	SIDE PANEL	632.205	632.205	632.205	632.205	632.205	632.205
8(1)	NEO BAYING KIT	611.000	611.000	611.000	611.000	611.000	611.000
8(2)	EYEBOLT(4 pcs.)	612.000	612.000	612.000	612.000	612.000	612.000

ENCLOSURE DEPTH 600 mm		Height 2000 mm					
		ENCLOSURE WIDTH mm					
Step	Product Description	Single Door 400	Single Door 600	Single Door 700	Single Door 800	Double Door 1000	Double Door 1200
1	BODY GROUP	614.201	616.201	617.201	618.201	610.201	612.201
2	DEPTH PARTS	620.600	620.600	620.600	620.600	620.600	620.600
3	TOP COVER	624.600	626.600	627.600	628.600	621.600	622.600
4(1)	PLINTH CORNER H100(H2)	708.100	708.100	708.100	708.100	708.100	708.100
4(1)	PLINTH CORNER H200(H2)	708.200	708.200	708.200	708.200	708.200	708.200
4(2)	PLINTH FRONT COVER H100(H2)	709.140	709.160	709.170	709.180	709.100	709.120
4(3)	PLINTH SIDE COVER H100(H2)	710.150	710.150	710.150	710.150	710.150	710.150
5	GLAND PLATE SYSTEM	634.600	636.600	637.600	638.600	631.600	632.600
6	MOUNTING PLATE 2,00mm	*	717.620	717.720	717.820	*	*
6	MOUNTING PLATE 3,00mm	*	707.620	707.720	707.820	707.020	707.220
7	SIDE PANEL	632.206	632.206	632.206	632.206	632.206	632.206
8(1)	NEO BAYING KIT	611.000	611.000	611.000	611.000	611.000	611.000
8(2)	EYEBOLT(4 pcs.)	612.000	612.000	612.000	612.000	612.000	612.000

ENCLOSURE DEPTH 800 mm		Height 2000 mm					
		ENCLOSURE WIDTH mm					
Step	Product Description	Single Door 400	Single Door 600	Single Door 700	Single Door 800	Double Door 1000	Double Door 1200
1	BODY GROUP	614.201	616.201	617.201	618.201	610.201	612.201
2	DEPTH PARTS	620.800	620.800	620.800	620.800	620.800	620.800
3	TOP COVER	624.800	626.800	627.800	628.800	621.800	622.800
4(1)	PLINTH CORNER H100(H2)	708.100	708.100	708.100	708.100	708.100	708.100
4(1)	PLINTH CORNER H200(H2)	708.200	708.200	708.200	708.200	708.200	708.200
4(2)	PLINTH FRONT COVER H100(H2)	709.140	709.160	709.170	709.180	709.100	709.120
4(3)	PLINTH SIDE COVER H100(H2)	710.150	710.150	710.150	710.150	710.150	710.150
5	GLAND PLATE SYSTEM	634.800	636.800	637.800	638.800	631.800	632.800
6	MOUNTING PLATE 2,00mm	*	717.620	717.720	717.820	*	*
6	MOUNTING PLATE 3,00mm	*	707.620	707.720	707.820	707.020	707.220
7	SIDE PANEL	632.208	632.208	632.208	632.208	632.208	632.208
8(1)	NEO BAYING KIT	611.000	611.000	611.000	611.000	611.000	611.000
8(2)	EYEBOLT(4 pcs.)	612.000	612.000	612.000	612.000	612.000	612.000

SIZES and MODELS (DISASSEMBLED)

SOLID DOOR, MOUNTING PLATE						
Height 1200 mm						Side Panel (2 Pcs)
WIDTH (mm)	HEIGHT (mm)	DEPTH (mm)	Without plinth	H100 Plinth	H200Plinth	
600	1200	500	646.125.011	646.125.111	646.125.211	632.125
800	1200	500	648.125.011	648.125.111	648.125.211	632.125

SOLID DOOR, without MOUNTING PLATE						
Height 1200 mm						Side Panel (2 Pcs)
WIDTH (mm)	HEIGHT (mm)	DEPTH (mm)	Without plinth	H100 Plinth	H200Plinth	
600	1200	500	646.125.000	646.125.100	646.125.200	632.125
800	1200	500	648.125.000	648.125.100	648.125.200	632.125

ATTENTION : Mounting plate's thickness is standard 2mm for 600W-800W, but; for 1000W-1200W chosen 3,00mm thickness.
REQUIRED : For panel assembly, a baying kit is required for each baying point. Baying Kit **Product Code: 611.000**
ATTENTION : If the carrier Eyebolt is required for each column in single column panels and for each combined system in combined systems.
 Eyebolt(pcs) **Product Code : 612.000**

SOLID DOOR, MOUNTING PLATE						
Height 1600 mm						Side Panel (2 Pcs)
WIDTH (mm)	HEIGHT (mm)	DEPTH (mm)	Without plinth	H100 Plinth	H200Plinth	
600	1600	500	646.165.011	646.165.111	646.165.211	632.165
800	1600	500	648.165.011	648.165.111	648.165.211	632.165

SOLID DOOR, without MOUNTING PLATE						
Height 1600 mm						Side Panel (2 Pcs))
WIDTH (mm)	HEIGHT (mm)	DEPTH (mm)	Without plinth	H100 Plinth	H200Plinth	
600	1600	500	646.165.000	646.165.100	646.165.200	632.165
800	1600	500	648.165.000	648.165.100	648.165.200	632.165

ATTENTION : Mounting plate's thickness is standard 2mm for 400W-800W, but; for 1000W-1200W chosen 3,00mm thickness.
REQUIRED : For panel assembly, a baying kit is required for each baying point. Baying Kit **Product Code: 611.000**
ATTENTION : If the carrier Eyebolt is required for each column in single column panels and for each combined system in combined systems.
 Eyebolt(pcs) **Product Code : 612.000**

SIZES and MODELS (ASSEMBLED)

Height 1800 mm		SOLID DOOR, MOUNTING PLATE			Side Panel (2 Pcs))	SOLID DOOR, without MOUNTING PLATE		
Width (mm)	Depth (mm)	Without Plinth	H100 with Plinth	H200 with Plinth		Without Plinth	H100 with Plinth	H200 with Plinth
600	400	646.184.011	646.184.111	646.184.211	632.184	646.184.000	646.184.100	646.184.200
600	500	646.185.011	646.185.111	646.185.211	632.185	646.185.000	646.185.100	646.185.200
600	600	646.186.011	646.186.111	646.186.211	632.186	646.186.000	646.186.100	646.186.200
800	400	648.184.011	648.184.111	648.184.211	632.184	648.184.000	648.184.100	648.184.200
800	500	648.185.011	648.185.111	648.185.211	632.185	648.185.000	648.185.100	648.185.200
800	600	648.186.011	648.186.111	648.186.211	632.186	648.186.000	648.186.100	648.186.200
1000	400	640.184.011	640.184.111	640.184.211	632.184	640.184.000	640.184.100	640.184.200
1000	500	640.185.011	640.185.111	640.185.211	632.185	640.185.000	640.185.100	640.185.200
1000	600	640.186.011	640.186.111	640.186.211	632.186	640.186.000	640.186.100	640.186.200
1200	400	642.184.011	642.184.111	642.184.211	632.184	642.184.000	642.184.100	642.184.200
1200	500	642.185.011	642.185.111	642.185.211	632.185	642.185.000	642.185.100	642.185.200
1200	600	642.186.011	642.186.111	642.186.211	632.186	642.186.000	642.186.100	642.186.200

Height 1800 mm		GLAZED DOOR, MOUNTING PLATE			Side Panel (2 Pcs))	GLAZED DOOR, without MOUNTING PLATE		
Width (mm)	Depth (mm)	Without Plinth	H100 with Plinth	H200 with Plinth		Without Plinth	H100 with Plinth	H200 with Plinth
600	400	676.184.011	676.184.111	676.184.211	632.184	676.184.000	676.184.100	676.184.200
600	500	676.185.011	676.185.111	676.185.211	632.185	676.185.000	676.185.100	676.185.200
600	600	676.186.011	676.186.111	676.186.211	632.186	676.186.000	676.186.100	676.186.200
800	400	678.184.011	678.184.111	678.184.211	632.184	678.184.000	678.184.100	678.184.200
800	500	678.185.011	678.185.111	678.185.211	632.185	678.185.000	678.185.100	678.185.200
800	600	678.186.011	678.186.111	678.186.211	632.186	678.186.000	678.186.100	678.186.200

ATTENTION
ATTENTION
REQUIRED
ATTENTION

: Mounting plate's thickness is standard 2mm for 400W-800W, but; for 1000W-1200W chosen 3,00mm thickness.

: Mounting Plate, Side Panel, Plinth are optional as per selection table.

: For panel assembly, a baying kit is required for each baying point. Baying Kit **Product Code: 611.000**

: If the carrier Eyebolt is required for each column in single column panels and for each combined system in combined systems.
Eyebolt(pcs) **Product Code : 612.000**

SUPPLY INCLUDES : Main Body Group, Frame Depth Parts, Top Cover, Gland Plate System.

SIZES and MODELS (ASSEMBLED)

Height 2000 mm		SOLID DOOR, MOUNTING PLATE			Side Panel (2 Pcs))	GLAZED DOOR, without MOUNTING PLATE		
Width (mm)	Depth (mm)	Without Plinth	H100 with Plinth	H200 with Plinth		Without Plinth	H100 with Plinth	H200 with Plinth
400	500	644.205.011	644.205.111	644.205.211	632.205	644.205.000	644.205.100	644.205.200
400	600	644.206.011	644.206.111	644.206.011	632.206	644.206.000	644.206.100	644.206.200
400	800	644.208.011	644.208.111	644.208.211	632.208	644.208.000	644.208.100	644.208.200
600	400	646.204.011	646.204.111	646.204.211	632.204	646.204.000	646.204.100	646.204.200
600	500	646.205.011	646.205.111	646.205.211	632.205	646.205.000	646.205.100	646.205.200
600	600	646.206.011	646.206.111	646.206.211	632.206	646.206.000	646.206.100	646.206.200
600	800	646.208.011	646.208.111	646.208.211	632.208	646.208.000	646.208.100	646.208.200
700	400	647.204.011	647.204.111	647.204.211	632.204	647.204.000	647.204.100	647.204.200
700	500	647.205.011	647.205.111	647.205.211	632.205	647.205.000	647.205.100	647.205.200
700	600	647.206.011	647.206.111	647.206.211	632.206	647.206.000	647.206.100	647.206.200
700	800	647.208.011	647.208.111	647.208.211	632.208	647.208.000	647.208.100	647.208.200
800	400	648.204.011	648.204.111	648.204.211	632.204	648.204.000	648.204.100	648.204.200
800	500	648.205.011	648.205.111	648.205.211	632.205	648.205.000	648.205.100	648.205.200
800	600	648.206.011	648.206.111	648.206.211	632.206	648.206.000	648.206.100	648.206.200
800	800	648.208.011	648.208.111	648.208.211	632.208	648.208.000	648.208.100	648.208.200
1000	400	640.204.011	640.204.111	640.204.211	632.204	640.204.000	640.204.100	640.204.200
1000	500	640.205.011	640.205.111	640.205.211	632.205	640.205.000	640.205.100	640.205.200
1000	600	640.206.011	640.206.111	640.206.211	632.206	640.206.000	640.206.100	640.206.200
1000	800	640.208.011	640.208.111	640.208.211	632.208	640.208.000	640.208.100	640.208.200
1200	400	642.204.011	642.204.111	642.204.211	632.204	642.204.000	642.204.100	642.204.200
1200	500	642.205.011	642.205.111	642.205.211	632.205	642.205.000	642.205.100	642.205.200
1200	600	642.206.011	642.206.111	642.206.211	632.206	642.206.000	642.206.100	642.206.200
1200	800	642.208.011	642.208.111	642.208.211	632.208	642.208.000	642.208.100	642.208.200

Height 2000 mm		GLAZED DOOR, MOUNTING PLATE			Side Panel (2 Pcs))	GLAZED DOOR, without MOUNTING PLATE		
Width (mm)	Depth (mm)	Without Plinth	H100 with Plinth	H200 with Plinth		Without Plinth	H100 with Plinth	H200 with Plinth
600	400	676.204.011	676.204.111	676.204.211	632.204	676.204.000	676.204.100	676.204.200
600	500	676.205.011	676.205.111	676.205.211	632.205	676.205.000	676.205.100	676.205.200
600	600	676.206.011	676.206.111	676.206.211	632.206	676.206.000	676.206.100	676.206.200
600	800	676.208.011	676.208.111	676.208.211	632.208	676.208.000	676.208.100	676.208.200
700	400	677.204.011	677.204.111	677.204.211	632.204	677.204.000	677.204.100	677.204.200
700	500	677.205.011	677.205.111	677.205.211	632.205	677.205.000	677.205.100	677.205.200
700	600	677.206.011	677.206.111	677.206.211	632.206	677.206.000	677.206.100	677.206.200
700	800	677.208.011	677.208.111	677.208.211	632.208	677.208.000	677.208.100	677.208.200
800	400	678.204.011	678.204.111	678.204.211	632.204	678.204.000	678.204.100	678.204.200
800	500	678.205.011	678.205.111	678.205.211	632.205	678.205.000	678.205.100	678.205.200
800	600	678.206.011	678.206.111	678.206.211	632.206	678.206.000	678.206.100	678.206.200
800	800	678.208.011	678.208.111	678.208.211	632.208	678.208.000	678.208.100	678.208.200

ATTENTION
ATTENTION
REQUIRED
ATTENTION

- : Mounting plate's thickness is standard 2mm for 400W-800W, but; for 1000W-1200W chosen 3,00mm thickness.
- : Mounting Plate, Side Panel, Plinth are optional as per selection table.
- : For panel assembly, a baying kit is required for each baying point. Baying Kit **Product Code: 611.000**
- : If the carrier Eyebolt is required for each column in single column panels and for each combined system in combined systems. Eyebolt(pcs) **Product Code : 612.000**

SUPPLY INCLUDES : Main Body Group, Frame Depth Parts, Top Cover, Gland Plate System.