

## STAINLESS STEEL ENCLOSURES

### DT FLOOR STANDING STAINLESS STEEL CABINET



**Material** : Body : 1,50 mm 304 stainless steel sheet.  
Door: 2,00 mm 304 steel sheet.  
Rear panel: 1,50 mm 304 steel sheet.  
Top cover: 1,50 mm 304 steel sheet.  
Plinth corners: 2,00 mm 304 steel sheet.  
Plinth panels: 1,50 mm 304 steel sheet.

**! Attention** : Mounting plate and other interior equipments chosen separately Page 129-130

**Surface process** : Natural stainless surface process

**IP Protection** : IP 55


**Supply includes** : 1 set of panel body, 1 pcs door, 1 pcs rear panel,  
1 pcs top cover, 1 set of gland plate, 1 set of  
H100mm plinth, 1 set of enclosure combination kit,  
4 pcs lifting hook.

▼ Please contact the customer service for 316 steel sheet application or  
varnish-coated surface process.

# STAINLESS STEEL ENCLOSURES

## DT FLOOR STANDING STAINLESS STEEL CABINET


### ASSEMBLED DT STAINLESS STEEL ENCLOSURE



DT ENCLOSURE SIZES (mm)			REFERENCE NO.	DOOR	MOUNTING PLATE REF. NO
WIDTH(W)	HEIGHT(H)	DEPTH(D)			
600	1800	400	136.184.K	SINGLE	942.618
600	1800	500	136.185.K	SINGLE	942.618
600	1800	600	136.186.K	SINGLE	942.618
600	1800	800	136.188.K	SINGLE	942.618
600	2000	400	136.204.K	SINGLE	942.620
600	2000	500	136.205.K	SINGLE	942.620
600	2000	600	136.206.K	SINGLE	942.620
600	2000	800	136.208.K	SINGLE	942.620
800	1800	400	138.184.K	SINGLE	942.818
800	1800	500	138.185.K	SINGLE	942.818
800	1800	600	138.186.K	SINGLE	942.818
800	1800	800	138.188.K	SINGLE	942.818
800	2000	400	138.204.K	SINGLE	942.820
800	2000	500	138.205.K	SINGLE	942.820
800	2000	600	138.206.K	SINGLE	942.820
800	2000	800	138.208.K	SINGLE	942.820
1000	1800	400	130.184.K	DOUBLE	942.018
1000	1800	500	130.185.K	DOUBLE	942.018
1000	1800	600	130.186.K	DOUBLE	942.018
1000	1800	800	130.188.K	DOUBLE	942.018
1000	2000	400	130.204.K	DOUBLE	942.020
1000	2000	500	130.205.K	DOUBLE	942.020
1000	2000	600	130.206.K	DOUBLE	942.020
1000	2000	800	130.208.K	DOUBLE	942.020
1200	1800	400	132.184.K	DOUBLE	942.218
1200	1800	500	132.185.K	DOUBLE	942.218
1200	1800	600	132.186.K	DOUBLE	942.218
1200	1800	800	132.188.K	DOUBLE	942.218
1200	2000	400	132.204.K	DOUBLE	942.220
1200	2000	500	132.205.K	DOUBLE	942.220
1200	2000	600	132.206.K	DOUBLE	942.220
1200	2000	800	132.208.K	DOUBLE	942.220

## STAINLESS STEEL ENCLOSURES

### DT FLOOR STANDING STAINLESS STEEL CABINET



#### DT STAINLESS STEEL PLINTH

**Material** : Plinth corners: 2,00 mm 304 stainless steel  
Plinth panels: 1,50 mm 304 stainless steel

**Supply includes** : 4 pcs support corner, 2 pcs front plinth panel, 2 pcs side plinth panel

DT ENCLOSURE WIDTH (W)	DT ENCLOSURE DEPTH (D)	H100 Ref. No.	H200 Ref. No.
600	400	911.164.K	911.264.K
600	500	911.165.K	911.265.K
600	600	911.166.K	911.266.K
600	800	911.168.K	911.268.K
800	400	911.184.K	911.284.K
800	500	911.185.K	911.285.K
800	600	911.186.K	911.286.K
800	800	911.188.K	911.288.K
1000	400	911.104.K	911.204.K
1000	500	911.105.K	911.205.K
1000	600	911.106.K	911.206.K
1000	800	911.108.K	911.208.K
1200	400	911.124.K	911.224.K
1200	500	911.125.K	911.225.K
1200	600	911.126.K	911.226.K
1200	800	911.128.K	911.228.K



#### DT STAINLESS STEEL SIDE PANEL

**Material** : 1,50 mm 304 stainless steel

**Supply includes** : 2 pcs side panel (1 pair)

DT ENCLOSURE HEIGHT(H)	DT ENCLOSURE DEPTH(D)	REFERANCE NO
1800	400	932.418.K
1800	500	932.518.K
1800	600	932.618.K
1800	800	932.818.K
2000	400	932.420.K
2000	500	932.520.K
2000	600	932.620.K
2000	800	932.820.K